东莞市财运智能仓储科技有限公司

DONGGUAN CAIYUN INTELLIGENT STORAGE TECHNOLOGY CO., LTD.

主营：重型货架、 中型、 阁楼、 贯通、 穿梭货架等

承接：上门测量、 设计、 生产、 安装；现货速发

专注重型货架 20 年， 我们更专业！

MAIN PRODUCTS: HEAVY SHELVES, MEDIUM, ATTIC, THROUGH, SHUTTLE SHELVES, ETC

UNDERTAKING: ON-SITE MEASUREMENT, DESIGN, PRODUCTION AND INSTALLATION; QUICK DELIVERY

FOCUS ON HEAVY SHELVES FOR 20 YEARS, WE ARE MORE PROFESSIONAL!

东莞市财运智能仓储科技有限公司
Dongguan Caiyun Intelligent Storage Technology Co., Ltd.

广东省东莞市望牛墩镇望牛墩石横路5号内ABC栋
Building ABC, No. 5 Shiheng Road, Wangniudun Town, Dongguan City, Guangdong Province

河南财运智能仓储装备有限责任公司
Henan Caiyun Intelligent Warehousing Equipment Co., Ltd

河南省南阳市社旗县潘河街道纬三路宏庆商务酒店西400米
400 meters west of Hongqing Business Hotel, Weisan Road, Panhe Street, Sheqi County, Nanyang City, Henan Province

CÔNG TY TNHH VNFF

B45-LK15-27 KHU DÔ THI MÃI HAI B²N DUÖNG LÊ
TRONG TÂN, PHUÖNG DUÃNG NÔI , QUÃ¢N HÀ
DÔ´NG THÃ NH PHÃ HÃ NÔI
CÔNG TY TNHH VNFF

联系电话：139 2293 5800 TEL: +86 139 2293 5800

东莞市财运智能仓储科技有限公司

Dongguan Caiyun Intelligent Storage Technology Co., Ltd.

测量/设计/送货/安装/清关/报关
Measurement/design/delivery/installation/
Customs clearance/declaration



企业文化
ENTERPRISE CULTURE

秉承 “客户至上， 品质为先” 的核心理念致

力于打造高效、 可靠的仓储解决方案

我们注重团队合作， 鼓励创新思维

追求卓越， 同时坚守诚信经营

与客户、 伙伴携手共赢

以匠心筑梦， 用科技赋能

共同推动仓储行业的繁荣发展

企业简介 QIYEJIANJIE





东莞市财运货架厂， 作为集仓储货架与物流设备研发、 设计、 生产、 销售及施工于一体的综合性专业企业， 我们自豪地拥有自设厂房及高效生产线， 占地面积达 15000 平方米， 汇聚了超过 300 名精英设计师与熟练操作人员， 共同铸就行业典范。

我们专注于生产各类高品质货架， 产品阵容强大， 包括但不限于重型货架、 轻中型货架、 横梁式货架、 驶入式货架、 穿梭式货架、 悬臂式货架、 集成式货架、 阁楼货架、 模具货架、 镀铬货架及立体库货架等。 每一款产品均以其卓越的质量、 合理的价格、 快速的生产周期以及完善的售后服务， 赢得了市场的广泛赞誉。

尤为值得一提的是， 我们的生产基地已成功通过 ISO9001 质量管理体系认证， 这一国际公认的权威标准， 不仅是对我们产品质量管理体系的高度认可， 更是我们对卓越品质不懈追求的坚定承诺。

财运货架的产品广泛服务于电商仓储、 服装服饰、 电子电器、 电力照明、 交通物流、 通讯信息、 日化食品、 石油化工、 家具制造、 医药健康、 烟草行业及酒店管理等多元化领域， 展现了其强大的市场适应性和广泛的应用价值。 我们深知， 每个行业都有其独特的仓储需求， 因此， 我们致力于提供定制化的解决方案， 以满足客户的个性化需求。

凭借卓越的产品与服务， 财运货架不仅畅销国内各大城市， 还成功出口至日本、 俄罗斯、 泰国、 韩国等十多个国家， 赢得了国内外客户的一致好评。 我们深知， 客户的满意是我们最宝贵的财富， 也是我们不断前进的动力。

在未来的日子里， 东莞市财运货架厂将继续秉承 “ 质量为本、 客户至上 ” 的核心价值观， 不断创新进取， 为客户提供更加优质、 高效的仓储解决方案。 我们期待与更多客户携手合作， 共同开创仓储物流的新篇章， 实现互惠共赢的美好未来！

Dongguan Caiyun Shelf Factory, as a comprehensive professional enterprise integrating R & D, design, production, sales and construction of storage shelves and logistics equipment, we are proud to have our own factory and efficient production line, covering an area of 15000 square meters, bringing together more than 300 elite designers and skilled operators to create a model for the industry.

We focus on producing all kinds of high quality shelves with a strong product lineup, including but not limited to heavy-duty shelves, light and medium-sized shelves, beam shelves, drive-in shelves, shuttle shelves, cantilever shelves, integrated shelves, attic shelves, mold shelves, chrome-plated shelves and three-dimensional library shelves. Each 1 product has won wide praise in the market for its excellent quality, reasonable price, fast production cycle and perfect after-sales service.

It is particularly worth 1 mention that our production base has successfully passed the ISO9001 quality management system certification, which 1 an internationally recognized authoritative standard. It is not only a high recognition of our product quality management system, but also our firm commitment to the unremitting pursuit of excellent quality.

The products of financial shelves are widely used in e-commerce warehousing, clothing, electronic appliances, electric lighting, transportation and logistics, communication and information, daily chemical food, petrochemical industry, furniture manufacturing, medicine and health, tobacco industry and hotel management and other diversified fields, showing its strong market adaptability and wide application value. We understand that each industry has its own unique storage needs, so we are committed to providing customized solutions to meet the individual needs of our customers.

With excellent products and services, financial shelves not only sell well in major domestic cities, but also successfully exported to more than ten countries such as Japan, Russia, Thailand and South Korea, winning the praise of customers at home and abroad. We know that customer satisfaction is our most valuable asset and the driving force behind our continuous progress.

In the days to come, Dongguan Caiyun Shelf Factory will continue to uphold the core values of "quality-oriented, customer first", continue to innovate and forge ahead, and provide customers with more high-quality and efficient warehousing solutions. We look forward to working with more customers to jointly create a new chapter in warehousing and logistics and achieve a better future of mutual benefit and win-win results!

目录
COVINIVS

中型仓储货架/Medium duty rack ---------- 03

重型横梁式货架/Heavy duty rack ---------- 07

贯通式货架/Drive rack ---------- 11

悬臂式货架/Cantilever rack ---------- 13

流利式货架/Cargo flow rack ---------- 15

阁楼平台/Mezzanine rack ---------- 17

工字钢阁楼平台/Steel platform ---------- 19

集成式货架/Integrated racks ---------- 21


穿梭式货架/Radio shuttle rack ---------- 23

货架配套产品/Accessories ---------- 25

中型仓储货架
MEDIUM DUTY RACK

中型仓储货架主要由立柱、横梁、和层板组成，均为插接式组合，不需要现场焊接，无螺栓连接；其层高以 75mm 间距，可灵活上下调节；结构简单，安装容易，承重大，层板采用钢板，每层承重可达 200kg-500kg。


Medium sized storage shelves are mainly composed of columns, beams, and shelves, all of which are plug-in combinations that do not require on-site welding or bolted connections; Its floor height is 75mm apart and can be flexibly adjusted up and down; The structure is simple, easy to install, and has a large load-bearing capacity. The plywood is made of steel plates, and each layer can support a load of up to 200kg-500kg.



主副架搭配 节省成本
Cost saving with main and auxiliary frames

主架 2 根立柱可单独使用，
副架仅有 1 根立柱，需搭配主架使用

The two columns of the main frame can be used separately, The sub-frame has only one column, which needs to be used with the main frame.



货架横梁为“P”型（阶梯梁），立柱设蝴蝶孔，结构稳固、承载力强；钢层板用冷轧钢板折弯成型，底部加焊加强筋。

The horizontal beam of the shelf is a "P" type (stepped beam), and the column is equipped with butterfly holes, with a stable structure and strong bearing capacity; Steel laminates are formed by bending cold-rolled steel plates and welded with reinforcing ribs at the bottom.








型号 model	现货尺寸（长*宽*高*层数）mm in stock size (L*W*H*layers) mm	颜色 colour	每层平均载重（KG） Load per layer (KG)
中型仓储货架	800*400*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	800*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1000*400*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1000*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1080*400*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1080*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1080*600*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1200*400*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1200*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1200*600*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1500*400*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1500*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1500*600*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1800*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	1800*600*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	2000*400*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	2000*500*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500
中型仓储货架	2000*600*2000/2500*3/4/5	蓝色Blue/灰白色white	200/300/500

立柱可拆卸中型货架 Column removable medium shelf









横梁型号 80*40mm；
通常用 P 型梁，方便铺设层板；
每层铺设 2 块钢层板，
背面配有加强筋，增加承重面；

The beam model is 80*40mm; P-type beams are usually used to facilitate the laying of laminates; Two steel laminates are laid on each layer, with reinforcing ribs on the back to increase the load-bearing surface;


立柱可拆卸中型货架的立柱规格的正面 60MM 侧面 50MM，孔型是菱形孔设计；
每层能承重 200-500KG; 通常货架立柱高度为 2000MM 或 2500MM；

The column size of the detachable medium-sized shelf is 60mm on the front and 50mm on the side, with a diamond shaped hole design; Each layer can bear a weight of 200-500kg; Usually, the height of shelf columns is 2000mm or 2500mm;

4 层货架配件
4 layer shelf accessories







型号 model	标准尺寸（长*宽*高*层数)mm Standard size (L*W*H*layers) mm	颜色 colour	每层平均载重（KG） Load per layer (KG)
立柱可拆卸货架	1000*400*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1000*500*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1080*400*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1080*500*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1080*600*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1200*400*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1200*500*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1200*600*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1500*400*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1500*500*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1500*600*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1800*500*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	1800*600*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	2000*400*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	2000*500*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	2000*600*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	2300*600*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	2300*1000*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500
立柱可拆卸货架	2300*1200*2000/2500*3/4/5/6	蓝桔色Blue Orange	200/300/500

尺寸、颜色、载重、层数等，可根据客户需求定制；

重型横梁式货架 HEAVY DUTY RACK



△主副架结合：主架两边都有立柱，可单独使用；
Combination of main and auxiliary frames: there are columns on both sides of the main frame, which can be used alone;




△副架由于少个立柱，
不能单独使用，
需依附在主架上；
The sub-frame cannot be used alone due to the lack of upright posts and needs to be attached to the main frame;

重型货架，又称横梁式货架或货位式货架，每层承重可达 1000kg-6000kg；采用优质冷轧钢板经辊压成型，立柱无接缝高达 2-11 米，菱形孔设计，层高 75MM 均可上下调节，满足您不同的存储需求。


Heavy duty shelving, also known as crossbeam shelving or cargo space shelving, with a load-bearing capacity of up to 1000kg-6000kg per layer; High quality cold-rolled steel plates are used for roll forming, with seamless columns reaching up to 2-11 meters and diamond shaped hole design. The floor height can be adjusted up and down to 75mm, meeting your different storage needs.





HEAVY-DUTY ACCESSORIES COLLOCATION

重型配件搭配



型号 model	现货尺寸（长*宽*高*层数)mm in stock size (L*W*H*layers) mm	每层平均载重（KG） Load per layer (KG)
重型仓储货架	2000*600*2000/2500/3000/3500*1/2/3/4	1000/1500/2000/3000
重型仓储货架	2000*1000*2000/2500/3000/3500*1/2/3/4	1000/1500/2000/3000
重型仓储货架	2000*1200*2000/2500/3000/3500*1/2/3/4	1000/1500/2000/3000
重型仓储货架	2300*1000*2000/2500/3000/3500*1/2/3/4	1000有现货（in stock）
重型仓储货架	2300*1200*2000/2500/3000/3500*1/2/3/4	1000有现货（in stock）
重型仓储货架	2500*1000*2000/2500/3000/3500*1/2/3/4	1000/1500/2000/3000
重型仓储货架	2500*1200*2000/2500/3000/3500*1/2/3/4	1000/1500/2000/3000
重型仓储货架	2700*1000*2000/2500/3000/3500*1/2/3/4	3000有现货（in stock）
重型仓储货架	2700*1200*2000/2500/3000/3500*1/2/3/4	3000有现货（in stock）
可定制：长3000/3300/3600/3900/4200以上*宽1300/1400/1500/1600以上 Customization: L3000/3300/3600/3900/4200 above * W1300/1400/1500/1600 above		
立柱高度可做到11米，具体规格和载重可根据实际需求进行定制 The height of the column can reach 11 meters, and the specific specifications and load capacity can be customized according to actual needs		

重型货架展示，1-4层

Heavy duty shelving display, 1-4 layers



1层横梁 2层货物存储

1layers beam,2layers storage for goods



2层横梁 3层货物存储

2layers beam,3layers storage for goods




3层横梁 4层货物存储

3layers beam,4layers storage for goods



4层横梁 5层货物存储

4layers beam,5layers storage for goods




按需无限延伸

infinite extension

主副架结合并排使用，节省投入 Complete Units and Add-On Unit Can be Extended








含支撑梁的重型货架

Heavy-duty racking with support beam








含木板的重型货架

Heavy-duty shelf with wood board

贯通式货架 DRIVE RACK


贯通式货架又称通廊式货架或驶入式货架，是一种连续性的整栋式货架，无需通道分割，托盘在支撑导轨上按深度方向紧密存放。与货位式货架相比，贯通式货架的库空间利用率可提高80%以上。


Through type shelving, also known as corridor shelving or drive in shelving, is a continuous whole building shelving system, No need for channel division, the tray is tightly stored on the support rail in the depth direction. Compared to location based shelves, through type shelves can increase the utilization rate of storage space by over 80%.




存储方式：贯通式货架支持先进先出和先进后出两种存储方式。通常贯通式货架深度在5-10个托盘深度，高度限制7米左右，每个托盘位能承重1吨-2吨。

Storage method: The through type shelf supports two storage methods: first in first out and first in last out. Usually, the depth of through type shelves is 5-10 pallets, with a height limit of about 7 meters. Each pallet can bear 1-2 tons.










贯通货架常规尺寸表
Drive rack Conventional size chart


长*宽/L*W	2米/2m、10米/20m、50米/30m、100米/100m.....定制CTO					
高度height	3米/3m、5米/5m、6米/6m、8米/8m、11米/11m 定制CTO					
层数layers	G+2	G+3	G+4	G+5	G+6	G+7
颜色colour	蓝色、橘色、灰白、（可定制） Blue, orange, gray white, (customizable)					
载重load	200KG/板、500KG/板、1000KG/板、2000KG/板					
立柱规格 Column	90*70*1.5mm、90*70*2.0mm、100*70*2.0mm...					
备注notes	“G”代表地面层；具体尺寸、承重等根据客户实际需求定制 G "represents the ground level; Specific dimensions, load-bearing capacity, etc. are customized according to the actual needs of customers					

悬臂式货架
CANTILEVER RACK



悬臂式货架主要由立柱片、悬臂梁和连接杆等部件组成，其前伸的悬臂结构轻巧且载重力强，满足各种物料的存储需求。

Cantilever rack are mainly composed of column pieces, cantilever beams, and connecting rods. Their forward extending cantilever structure is lightweight and has strong load-bearing capacity, meeting the storage needs of various materials.



悬臂式货架组合有单面和双面，适用于长型物料、管材、板材等。

Cantilever rack combinations are available in single-sided and double-sided，Suitable for long materials, pipes, plates, etc.

悬臂上放长型物料、管材等，两边设计留约 30 公分，以稳货物的重心、防止另一侧滑落。我们扎根行业多年，专业过硬，从结构到细节精心把控。

Place long materials on the cantilever, leaving about 30 centimeters on both sides to stabilize the center of gravity and prevent slipping. We have been rooted in the industry for many years, with strong expertise and meticulous control over both structure and details.



单面悬臂货架 Single sided Cantilever rack			
标准规格（长*宽*高*层数）mm Standard size (L*W*H*layers) mm	立柱规格 Column specifications	悬臂规格 Cantilever specifications	每层平均载重（KG） Load per layer (KG)
1000*500*2025*3	100*140*2.0	80/100*45*1.5	200/500/800/1000
1200*750*2025*4	100*140*2.0	80/100*45*1.5	200/500/800/1000
1500*1200*3000*5	100*140*2.0	80/100*45*1.5	200/500/800/1000
双面悬臂货架 Two-sided Cantilever rack			
货架规格（长*宽*高*层数）mm Standard size (L*W*H*layers) mm	立柱规格 Column specifications	悬臂规格 Cantilever specifications	每层平均载重（KG） Load per layer (KG)
1000*850*2025*3	100*140*2.0	80/100*45*1.5	200/500/800/1000
1200*1350*2025*4	100*140*2.0	80/100*45*1.5	200/500/800/1000
1500*2250*3000*5	100*140*2.0	80/100*45*1.5	200/500/800/1000
颜色 colour	蓝色/灰白/橘红Blue/Grey White/Orange Red		
悬臂长 Cantilever length	500-1500mm	立柱高度 L mm	2000-6000mm
宽度 width	500-2300mm	层数 layers	1-6层 layers

悬臂可根据定制的承重要求焊接在连接器上的不同位置，有直臂、标准臂和倾斜臂可供选择。


The cantilever can be welded onto the connector according to customized load-bearing requirements Different positions are available, including straight arm, standard arm, and inclined arm for selection.



悬臂式货架还可与阁楼平台结合使用，形成悬臂平台，进一步拓展存储空间。

Cantilever shelves can also be used in conjunction with attic platforms,Form a cantilever platform to further expand storage space.

流利式货架 Cargo flow rack



流利式货架主要由流利条、货架框架等部分组成。流利条安装在货架的斜面上，
货物放置在流利条上能够依靠自身重力自动向前滑动，从而实现货物的先进先出存储。

The cargo flow rack is mainly composed of fluent bars, shelf frames, and other parts. The fluent strip is installed on the sloping surface of the shelf, The goods placed on the fluent strip can automatically slide forward by their own gravity, thus achieving first in first out storage of the goods.



由于其结构相对简单，主要的维护工作集中在定期检查流利条和滚轮的磨损情况、清洁货架表面以及紧固连接部件等方面。这些维护工作易于执行，不需要复杂的工具和专业技术。

Due to its relatively simple structure, the main maintenance work is focused on regularly checking the wear of the flow bar and roller, cleaning the shelf surface, and fastening the connecting components. These maintenance tasks are easy to perform and do not require complex tools or professional skills.







流利条货架 Cargo flow rack			
长度 length	L1200-2000mm	宽度 width	W600-1200mm
高度 height	H1500-3000mm	层数 layers	1-5层
颜色 colour	蓝橘/灰白/可定制	每层载重 load	100-500kg
横梁 beam	60*40mm、80*40mm	横梁厚度 beam thick	1.2-1.5mm
立柱 Column	60*50mm	立柱厚度 Column thick	1.2-2.0mm
滚轮直径 wheel diameter	28-30mm	坡度 inclination	3°- 5°


阁楼平台 Mezzanine rack


阁楼平台主要由立柱、横梁、楼面板等构成；通过在已有的工作场地或货架上构建一个或多个中间阁楼，通常设计为 2-3 层


Mezzanine rack is mainly composed of columns, beams, floor panels, etc; By constructing one or more intermediate Mezzanines on existing workspaces or shelves, typically designed as 2-3 lay
















镀锌花纹钢扣板
Pattern steel plate



冲孔钢扣板
Punched steel plate



喷粉钢层板
Colored steel plate



木夹板
Wood splint




红模板
Red fireproof board



水泥纤维板
Cement fiber board



升降台
Lifting table



楼梯
Stairs



滑梯
Sliding stairs




爬梯
Ladder

型号 model	颜色 colour	类别 category	参数范围 Parameter range
阁楼平台 Mezzanine rack	蓝橘/蓝/灰白 Blue Orange/Blue/White	长度和宽度 (L*W) unit m	L6米*W5米（约30㎡） L30米*W10米（约300㎡） L100米*W100米（约10000㎡） （均可定制customizable）
阁楼平台 Mezzanine rack	蓝橘/蓝/灰白 Blue Orange/Blue/White	高度（m） height（m）	2米 - 11米 底层地面到阁楼平台顶部 Bottom floor to top of Mezzanine rack
阁楼平台 Mezzanine rack	蓝橘/蓝/灰白 Blue Orange/Blue/White	每平方载重(kg) Load per ㎡	200/500/800/1000/2000kg
阁楼平台 Mezzanine rack	蓝橘/蓝/灰白 Blue Orange/Blue/White	单层层高 height/layer	1800mm - 3000mm
阁楼平台 Mezzanine rack	蓝橘/蓝/灰白 Blue Orange/Blue/White	跨度 span	3000mm - 8000mm

工字钢阁楼平台 I-STEEL MEZZANINE RACK

工字钢阁楼平台，主要采用工字钢或 H 型钢作为主体结构材料，每平方载重 1000 公斤至 6000 公斤，且完美适应大跨度、高承重需求的场景。

The i-steel Mezzanine rack mainly uses I-beams or H-beams as the main structural materials, with a load capacity of 500 to 3000 kilograms per square meter, and is perfectly suitable for scenarios with large spans and high load-bearing requirements.







功能和优点：创建新的存储、工作和办公空间；与钢筋混凝土平台相比，钢平台更经济、易于建造、可拆卸和可重复使用；

Features&Benefits

Create new storage, working and office space; Compared to reinforced concrete platform, steel platform is more economical, easy to build, demount-able and reusable;

工字钢具有较高的屈服强度和抗拉强度。能够承受数吨甚至数十吨 / ㎡；

I-beams have high yield strength and tensile strength. Capable of withstanding several tons or even tens of tons per square meter.








型号 model	颜色 colour	类别 category	参数范围 Parameter range
工字钢阁楼平台 i-steel Mezzanine rack	蓝橘/蓝/灰白（定制） Blue Orange/Blue/White	长度和宽度 (L*W) unit m	L30米*W10米（约300㎡） L60米*W50米（约3000㎡） L100米*W100米（约10000㎡） (均可定制customizable)
工字钢阁楼平台 i-steel Mezzanine rack	蓝橘/蓝/灰白（定制） Blue Orange/Blue/White	高度（m） height（m）	2米 - 11米 底层地面到阁楼平台顶部 Bottom floor to top of Mezzanine rack
工字钢阁楼平台 i-steel Mezzanine rack	蓝橘/蓝/灰白（定制） Blue Orange/Blue/White	每平方载重(kg) Load per ㎡	1000/2000/3000kg
工字钢阁楼平台 i-steel Mezzanine rack	蓝橘/蓝/灰白（定制） Blue Orange/Blue/White	单层层高 height/layer	1800mm - 3000mm
工字钢阁楼平台 i-steel Mezzanine rack	蓝橘/蓝/灰白（定制） Blue Orange/Blue/White	跨度 span	4000mm - 12000mm

集成式货架



INTEGRATED RACK

集成式货架旨在通过在工作场地或现有货架上构建中间阁楼层，显著提升存储空间。该系统灵活多变，可构建为二层乃至三层阁楼结构，还易于集成照明系统，为仓库作业提供充足光线，提升工作环境的安全性与舒适度。

Integrated racks aim to significantly increase storage space by constructing intermediate Mezzanines on the workplace or existing shelves. The system is flexible and versatile, and can be constructed as a two-layer or even three-layer Mezzanine structure. It is also easy to integrate lighting systems, providing sufficient light for warehouse operations and improving the safety and comfort of the working environment.









实拍案例 REAL SHOT CASE



在安装集成式货架之前，需要对仓库或使用场地进行合理规划。**Before installing the Integrated rack, it is necessary to plan the warehouse or usage site reasonably.**

规格（长*宽*高） size (L*W*H)	L*W*H:2000/3500/4600/5800 /6600/7900/8800/9900mm
层数 layers	楼面层：1-3层；货架层：3-8层 Mezzanine：1-3layer; Rack layer：3-8layer
楼面层载重 Mezzanine load	每平方载重200/500/800/1000/2000kg Load per ㎡ 200/500/800/1000/2000kg
货架层载重 Rack layer load	每层轻型载重：200-500kg; 每层重型载重：500-6000kg; midsize load per layer：200-500kg; heavy-duty load per layer：500-6000kg;
楼层间距 Mezzanine spacing	通常高度 1800-3000mm Usually height 1800-3000mm
立柱规格 Column	常规routine：60*50mm/90*70mm/ 100*70mm/100*140mm 厚度thickness：1.5/1.8/2.0
横梁规格 beam	横梁有 P 型梁/方通梁/合抱梁/双合抱等， 根据载重及尺寸设计 Design materials based on load capacity and size
楼面板 Mezzanine plate	镀锌花纹钢扣板/木夹板/ 冲孔钢扣板/喷粉钢层板/水泥纤维板 Pattern steel plate/Wood splint/ Punched steel plate/Colored steel plate/ Cement fiber board

穿梭式货架
Radio shuttle rack



穿梭式货架是一种密集型仓储货架。 它主要由货架、 穿梭车组成。 穿梭车可以在货架的轨道上自动运行， 把货物运送到指定位置存放或者取出。 特别是对于那些出入库频繁的货物，能节省很多时间。

Radio shuttle rack is a dense storage rack. It mainly consists of shelves and shuttle cars. The shuttle car can automatically operate on the tracks of the shelves, transporting goods to designated locations for storage or retrieval. Especially for goods that frequently enter and exit the warehouse, it can save a lot of time.



双向穿梭车货架，穿梭车只能在货架的前后方向运行，它的轨道铺设较为简单，成本也较低。
四向穿梭车货架，穿梭车可以在前后左右四个方向移动，能更灵活地到达不同货位，不过系统相对复杂，成本较高。

The two-way radio shuttle rack can only run in the front and rear directions of the shelf, and its track laying is relatively simple and cost-effective.
The four-way radio shuttle rack allows the shuttle to move in four directions, front, back, left, right, and more flexibly to reach different cargo locations. However, the system is relatively complex and the cost is high.









将货物放在托盘上，然后通过叉车把托盘放到货架的轨道起始位置。接着用操作面板或者系统指令让穿梭车把托盘运到合适的存储位置，就像把小包裹放在小火车上，让小火车送到它的“房间”一样。

Place the goods on the pallet, and then use a forklift to place the pallet at the starting position of the shelf track. Then use the control panel or system commands to have the shuttle transport the tray to the appropriate storage location, just like placing a small package on a small train and having it delivered to its "room".

可以配合仓库管理系统，清楚地记录货物的位置等信息。要找货物的时候，很容易就能定位，就像给每个货物都装了个小定位器一样方便管理。

Can cooperate with the warehouse management system to clearly record the location and other information of goods. When searching for goods, it is easy to locate them, just like installing a small locator for each item for convenient management.



穿梭式货架Radio shuttle rack			
货架长度和宽度 (L*W) unit m		L6m - 100m；W6m - 100m （可定制customizable）	
货架高度 rack height	3米 - 11米 unit m	层间距 layer spacing	800 - 2000mm
轨道间距 track pitch	1100 - 2700mm	每卡位载重 load/pallet	300 - 3000kg/板
运行速度 run speed	满载 0.5-1.5米/秒，空载1-2.5 米/秒 Full load 0.5-1.5 meters/second, empty load 1-2.5 meters/second		





货架配套产品
Shelf supporting products

我们的货架可配有仓储设备，也能依照客户需求定制生产。这些设备主要包含楼梯、滑梯、爬梯、登高车、支撑梁、钢板、钢层网、防撞护栏等一系列仓储设备。另外，所展示的叉车、升降平台等设备，我们可以为您进行详细介绍，并且支持上门测量、提供设计图纸以及规划方案。

Our shelves can be equipped with storage equipment and can be customized according to customer needs. These equipment mainly include stairs, slides, ladders, climbing cars, support beams, steel plates, steel nets, anti-collision guardrails and a series of storage equipment. In addition, we can introduce the forklift, lifting platform and other equipment on display in detail, and support on-site measurement, design drawings and planning schemes.



楼梯
Stairs



滑梯
Sliding stairs



爬梯
Ladder



登高车
Climb car



升降平台
Lifting table



防撞护栏
Crash barrier




支撑梁
Punched steel plate



钢层板
Steel plate



木夹板
Wood splint



钢层网
Steel layer net



枕梁
Pad beam



木制托盘
Wooden pallet



连接杆
Connecting rod



接驳件
Connecting pillars




防撞脚
Anti-collision foot



横撑和斜撑
cross-brace
diagonal bracing



副横管
Deputy horizontal pipe



墙角码
Connector